

# New Scripts

Many scripts from TDD work in MFP, but some of them have been removed (e.g. `SetInventoryDisabled`).

However, MFP has a set of its own new scripts:

## Player

```
void SetLanternFlickerActive(bool abActive);
```

Enables the lantern flicker effect.

*abActive* - set to true to enable the effect

```
void SetPlayerInfection(float afAmount);  
void AddPlayerInfection(float afAmount);  
float GetPlayerInfection();
```

Infection related scripts.

## Screen effects

```
void ShowScreenImage(string asImage, int alPosX, int alPosY, float  
afUnknown, bool abUnknown2, float afTime, float afFadeIn, float afFadeOut);
```

Displays an image on the screen. Originally used to show the MFP logo in-game.

*asImage* - the image to display. E.g. `startup_aamfp_logo.jpg`

*alPosX* - horizontal position of the image. 0 is right screen border, smaller values are left. -400 was used for the middle of the screen.

*alPosY* - vertical position of the image. 0 is bottom, smaller values are up. -350 was used for the middle of the screen.

*afUnknown* - Unless set to below 0, the image won't appear. Might have more functionality to it.

*abUnknown2* - setting this to true makes the image not appear. Might have more functionality to it.

*afTime* - image display time.

*afFadeIn* - fade in time. It's added to the base display time.

*afFadeOut* - fade out time. It's added to the base display time.

## Enemies

```
void SetEnemyMoveType(string &in asEnemy, string asMoveType);
```

 **This script hasn't been tested.**

Sets the enemy move type.

*asEnemy* - the in-game enemy entity

*asMoveType* - options include: WalkBiped, RunBiped, ChargeBiped, and probably Quadruped variations as well.

```
void SetManPigType(string &in asEntity, string &in asType);
```

**? This script hasn't been tested.**

Seems to alter the enemy AI. It was mostly used in conjunction with Child enemies (but also with Wretches). Presumably it changes the AI behaviour to run from the player.

*asEntity* - the enemy in question. Can be Enemy\_ManPig or Enemy\_Child type.

*asType* - only "Freddy" has been used in the entire game. It is unknown what other options are.

## Other

```
void SetParticleSystemActive(string &in asParticle, bool abX);
```

**? This script hasn't been tested.**

```
void AddHint(string &in asEntity, string asUnknown);
```

**? This script hasn't been tested.**

Might be a replacement for GiveHint from TDD.

Another option is that it gives a specified hint (*asUnknown*) upon touching the *asEntity*.

```
SetLightVisible(string& asLightName, bool abVisible);
```

**? This script hasn't been tested.**

Enables/disables lights.

It was used in the main game scripts (in conjunction with SpotLights), which might indicate that unlike in TDD, this time it actually works.

*asLightName* - internal name

*abVisible* - determines the state of the light

```
void SetPhysicsAutoDisable(string &in asEntity, bool abX);
```

**? This script hasn't been tested.**

Unknown usage.

*asEntity* - entity in question. It was used with chandelier\_nice.

abX - whether to disable the object physics (*when?*).

From:

<https://wiki.frictionalgames.com/> - **Frictional Game Wiki**

Permanent link:

[https://wiki.frictionalgames.com/hpl2/machine\\_for\\_pigs/new\\_scripts?rev=1583596910](https://wiki.frictionalgames.com/hpl2/machine_for_pigs/new_scripts?rev=1583596910)

Last update: **2020/03/07 16:01**

