

cVector2f

Fields

Field Name	Type	Description
x	float	The x value of the vector.
y	float	The y value of the vector.

Functions

Return Type	Function Name	Parameters	Description
float	GetElement	uint64 alIdx, const	Gets the value at the given index. (Indices 0 and 1 are equal to x and y, respectively.)
void	SetElement	uint64 alIdx, float afVal, const	Sets the value at the given index to the given value. (Indices 0 and 1 are equal to x and y, respectively.)
float	SqrLength	const	Returns the length-squared of this vector.
float	Length	const	Returns the length of this vector.
float	Normalize		Returns the normalization factor for this vector. (See Remarks.)

Remarks

A normalized vector is a vector whose length is equal to one, otherwise known as a unit vector. To convert a vector into a unit vector, get the normalization factor by calling the `Normalize` function, then divide each of the vector's x and y coordinates by that factor.

```
cVector2f vBaseVector(2.0, 5.0);
float fNormFactor = vBaseVector.Normalize();
cVector2f vNormalizedVector(vBaseVector.x / fNormFactor, vBaseVector.y / fNormFactor);
```

From:

<https://oldwiki.frictionalgames.com/> - Frictional Game Wiki

Permanent link:

<https://oldwiki.frictionalgames.com/hpl3/community/scripting/classes/cvector2f?rev=1446780768>

Last update:

2015/11/06 03:32

